

A complete, systematic literature list of “*Anergates* Forel, 1874.”.

Atanassov, N., Dlussky, G. M., 1992, “Fauna of Bulgaria. Hymenoptera, Formicidae.” [In Bulgarian.]. Fauna na Bûlgariya, vol. 22, p. 1-310.

Creighton, W. S., 1934, “Descriptions of three new North American ants with certain ecological observations on previously described forms.” *Psyche* (Cambridge.), vol. 41, p. 185-200.

Creighton, W. S., 1950, “The ants of North America.” *Bulletin of the Museum of Comparative Zoölogy* [at Harvard College], vol. 104, p. 1-585 (+ 57 plates!).

* Csösz, S., Radchenko, A., Schulz, A., 2007, “Taxonomic revision of the Palaearctic *Tetramorium chefketi* species complex (Hymenoptera: Formicidae).” *Zootaxa*, vol. 1405, p. 1-38.

* Csösz, S., Schulz, A., 2010, “A taxonomic review of the Palaearctic *Tetramorium ferox* species-complex (Hymenoptera, Formicidae).” *Zootaxa*, vol. 2401, p. 1-29.

Donisthorpe, H., 1915, “British ants, their life-history and classification.” Plymouth, Brendon & Son Ltd., xv + 379 pp.

Forel, A., 1874, “Les fourmis de la Suisse. Systématique, notices anatomiques et physiologiques, architecture, distribution géographique, nouvelles expériences et observations de moeurs.” *Neue Denkschriften der Allgemeinen Schweizerischen Gesellschaft für die Gesamten Naturwissenschaften*, vol. 26, p. 1-452 (+ 2 plates!).

* Girard, M., 1879, “*Traité élémentaire d'entomologie. Volume 2.*” Paris, Librairie J.-B. Baillière et Fils, 1028 pp.

* Hahn, C. W., 1832, “Die Wanzenartigen Insecten. Getreu nach der Natur abgebildet und beschrieben. Band I, Heft 3.” Nürnberg, Zeh, p. 81-118.

* Mayr, G., 1853, “Ueber die Abtheilung der Myrmiciden, und eine neue Gattung derselben.” *Verhandlungen der Zoologisch-Botanischen Vereins in Wien*, vol. 3, p. 387-394 (+1 plate!).

Mayr, G., 1855, “Formicina austriaca. Beschreibung der bisher im österreichischen Kaiserstaate aufgefundenen Ameisen, nebst Hinzufügung jener in Deutschland, in der Schweiz und in Italien vorkommenden Arten.” *Verhandlungen der Zoologisch-Botanischen Vereins in Wien*, vol. 5, p. 273-478 (+ 1 plate!).

Mayr, G., 1861, “Die europäischen Formiciden. Nach der analytischen Methode bearbeitet.” Wien, C. Gerold's Sohn, 80 pp. (+ 1 plate!).

Mayr, G., 1863, “Formicidarum index synonymicus.” *Verhandlungen der Kaiserlich-Königlichen Zoologisch-Botanischen Gesellschaft in Wien*, vol. 13, p. 385-460.

Schenck, C. F., 1852. “Beschreibung nassauischer Ameisenarten.” *Jahrbuch des Vereins für Naturkunde im Herzogthum Nassau, Wiesbaden*, vol. 8, p. 1-149.

* Schenck, C. F., 1853, “Die nassauischen Ameisen-Species.” *Stettiner Entomologische Zeitung*, vol. 14, p. 157-163.

Schenck, C. F., 1853, "Die nassauischen Ameisen-Species. (Fortsetzung.)." Stettiner Entomologische Zeitung, vol. 14, p. 185-198.

* Schlick-Steiner, B. C., Steiner, F. M., Sanetra, M., Heller, G., Stauffer, C., Christian, E., Seifert, B., 2005, "Queen size dimorphism in the ant *Tetramorium moravicum* (Hymenoptera, Formicidae): morphometric, molecular genetic and experimental evidence." Insectes Sociaux, vol. 52, p. 186-193.

* Schulz, A., 1996, "*Tetramorium rhenanum* nov. spec. vom "Mittleren Rheintal" in Deutschland (Hymenoptera: Formicidae)." Linzer Biologische Beiträge, vol. 28, p. 391-412.

van Boven, J. K. A., 1977, "De mierenfauna van België (Hymenoptera: Formicidae)." Acta Zoologica et Pathologica Antverpiensia, vol. 67, p. 1-191.

* Wagner, H. C., Arthofer, W., Seifert, B., Muster, C., Steiner, F. M., Schlick-Steiner, B. C., 2017, "Light at the end of the tunnel: Integrative taxonomy delimits cryptic species in the *Tetramorium caespitum* complex (Hymenoptera: Formicidae)." Myrmecological News, vol. 25, p. 95–129 (+ 6 supporting files.).

Ward, P. S., Brady, S. G., Fisher, B. L., Schultz, T. R., 2015 ("2014"), "The evolution of myrmicine ants: Phylogeny and biogeography of a hyperdiverse ant clade (Hymenoptera: Formicidae)." Systematic Entomology, vol. 40, no. 1, p. 61-81 (+ 9 supporting files.). (Article first published online: 23 July 2014).

Wheeler, G. C., Wheeler, J., 1955, "The ant larvae of the myrmicine tribe Solenopsidini." American Midland Naturalist, vol. 54, p. 119-141.

Wheeler, W. M., 1909, "Observations on some European ants." Journal of the New York Entomological Society, vol. 17, p. 172-187.

23 references.

Recent revisions of the *Tetramorium* host species of *Anergates* and *Teleutomyrmex*.

Csősz, S., Radchenko, A., Schulz, A., 2007, "Taxonomic revision of the Palaearctic *Tetramorium chefketi* species complex (Hymenoptera: Formicidae)." *Zootaxa*, vol. 1405, p. 1-38.

Csősz, S., Schulz, A., 2010, "A taxonomic review of the Palaearctic *Tetramorium ferox* species-complex (Hymenoptera, Formicidae)." *Zootaxa*, vol. 2401, p. 1-29.

Wagner, H. C., Arthofer, W., Seifert, B., Muster, C., Steiner, F. M., Schlick-Steiner, B. C., 2017, "Light at the end of the tunnel: Integrative taxonomy delimits cryptic species in the *Tetramorium caespitum* complex (Hymenoptera: Formicidae)." *Myrmecological News*, vol. 25, p. 95–129 (+ 6 supporting files.).

3 references.

The original references for *Tetramorium* and *Strongylognathus*.

Girard, M., 1879, "Traité élémentaire d'entomologie. Volume 2." Paris, Librairie J.-B. Baillière et Fils, 1028 pp.

Hahn, C. W., 1832, "Die Wanzenartigen Insecten. Getreu nach der Natur abgebildet und beschrieben. Band I, Heft 3." Nürnberg, Zeh, p. 81-118.

Mayr, G., 1853, "Ueber die Abtheilung der Myrmiciden, und eine neue Gattung derselben." *Verhandlungen der Zoologisch-Botanischen Vereins in Wien*, vol. 3, p. 387-394 (+1 plate!).

Mayr, G., 1855, "Formicina austriaca. Beschreibung der bisher im österreichischen Kaiserstaate aufgefundenen Ameisen, nebst Hinzufügung jener in Deutschland, in der Schweiz und in Italien vorkommenden Arten." *Verhandlungen der Zoologisch-Botanischen Vereins in Wien*, vol. 5, p. 273-478 (+1 plate!).

Schenck, C. F., 1853, "Die nassauischen Ameisen-Species. (Fortsetzung)." *Stettiner Entomologische Zeitung*, vol. 14, p. 185-198.

5 references.

The systematic literature for the other Extreme, Workerless Inquilines.

Bolton, B., 1980, "The ant tribe Tetramoriini (Hymenoptera: Formicidae). The genus *Tetramorium* Mayr in the Ethiopian zoogeographical region." Bulletin of the British Museum (Natural History). Entomology, vol. 40, p. 193-384.

Bruch, C., 1931, "Notas biológicas y sistemáticas acerca de *Bruchomyrma acutidens* Santschi." Rev. Mus. La Plata, vol. 33, p. 31-55.

Bruch, C., 1932, "Descripción de un género y especie nueva de una hormiga parásita (Formicidae)." Revista del Museo de La Plata, vol. 33, p. 271-275.

Kusnezov, N., 1952 ("1951"), "Un caso de evolución eruptiva. *Eriopheidole symbiotica* nov. gen., nov. sp. (Himenoptera, Formicidae)." Memorias del Museo de Entre Ríos, vol. 29, p. 5-31.

Mayr, G., 1901, "Südafrikanische Formiciden, gesammelt von Dr. Hans Brauns." Annalen des Kaiserlich-Königlichen Naturhistorischen Museums in Wien, vol. 16, p. 1-30.

Santschi, F., 1918, "Nouveaux *Tetramorium* africains." Bulletin de la Société d'Histoire Naturelle de l'Afrique du Nord, vol. 9, p. 121-132.

Santschi, F., 1922, "Description de nouvelles fourmis de l'Argentine et pays limitrophes." Anales de la Sociedad Científica Argentina, vol. 94, p. 241-262.

Wasmann, E., 1909, "Über den Ursprung des sozialen Parasitismus, der Sklaverei und der Myrmekophilie bei den Ameisen. (Schluss)." Biologisches Centralblatt, vol. 29, p. 683-703.

Wasmann, E., 1915, "*Anergatides Kohli*, eine neue arbeitlose Schmarotzeraameise vom oberen Kongo (Hym., Form.)." Entomologische Mitteilungen, Berlin-Dahlem, vol. 4, p. 279-288.

Westwood, J. O., 1839, "An introduction to the modern classification of insects; founded on the natural habits and corresponding organisation of the different families. Volume 2. Part XI." London, Longman, Orme, Brown, Green and Longmans, p. 193-224.

Wilson, E. O., 1984, "Tropical social parasites in the ant genus *Pheidole*, with an analysis of the anatomical parasitic syndrome (Hymenoptera: Formicidae)." Insectes Sociaux, vol. 31, no. 3, p. 316-334.

Wilson, E. O., 2003, "*Pheidole* in the New World. A dominant, hyperdiverse ant genus." Cambridge, Mass., Harvard University Press, ix + 794 pp.

12 references.

The references for: First descriptions of, and last revisions of the species complexes of, the senior homonyms of *Teleutomyrmex* species when they are placed in the genus *Tetramorium*.

Dlussky, G. M., Soyunov, O. S., Zabelin, S. I., 1990 ["1989"], "Muravji Turkmenistana.", or "[Ants of Turkmenistan.]" [In Russian.]. Ashkabad, Ylym Press, 275 pp.

Emery, C., 1898, "Beiträge zur Kenntniss der palaearktischen Ameisen." Öfvers. Fin. Vetensk.-Soc. Förh. (= Öfversigt af Finska Vetenskaps-Societetens Förhandlingar (Helsinki)), vol. 20, p. 124-151.

Karavaiev, V., 1912, "Ameisen aus dem paläarktischen Faunengebiete." Russkoe Entomologicheskoe Obozrenie, vol. 12, p. 581-596.

Radchenko, A. G., 1992, "[Ants of the genus *Tetramorium* (Hymenoptera, Formicidae) of the USSR fauna. Report 2.]" [In Russian.]. Zoologicheskii Zhurnal, vol. 71, no. 8, p. 50-58.

Radchenko, A. G., Scupola, A., 2015, "Taxonomic revision of the *striativentre* species group of the genus *Tetramorium* (Hymenoptera, Formicidae)." Vestnik Zoologii, vol. 49, no. 3, p. 219-244.

Santschi, F., 1927, "A propos du *Tetramorium caespitum* L." Folia Myrmecologica et Termitologica, vol. 1, no. 4/5, p. 53-58.

Tarbinsky, Y. S., 1976, "[The ants of Kirghizia.]" [In Russian.]. Frunze, Ilim, 217 pp.

Wagner, H. C., Arthofer, W., Seifert, B., Muster, C., Steiner, F. M., Schlick-Steiner, B. C., 2017, "Light at the end of the tunnel: Integrative taxonomy delimits cryptic species in the *Tetramorium caespitum* complex (Hymenoptera: Formicidae)." Myrmecological News, vol. 25, p. 95–129 (+ 6 supporting files.).

8 references.

The types of the inquilines.

The genera (from AntWiki.org.).

Teleutomyrmex Kutter, 1950

Teleutomyrmex [junior synonym of *Tetramorium*]

- *Teleutomyrmex* Kutter, 1950: 82. Type-species: *Teleutomyrmex schneideri*, by original designation.
- *Teleutomyrmex* junior synonym of *Tetramorium*: Ward et al., 2015: 76.

Tetramorium Mayr, 1855

Tetramorium [Myrmicinae: Tetramoriini].

- *Tetramorium* Mayr, 1855: 423. Type-species: *Formica caespitum*, by subsequent designation of Girard, 1879: 1016.

Strongylognathus Mayr, 1853

Strongylognathus [Myrmicinae: Tetramoriini].

- *Strongylognathus* Mayr, 1853: 389. Type-species: *Eciton testaceum*, by monotypy.
- Replacement name for *Myrmus* Schenck, 1853: 188.
- [Junior homonym of *Myrmus* Hahn, 1832: 81 (Hemiptera).].

Myrmus [junior homonym, see *Strongylognathus*].

- *Myrmus* Schenck, 1853: 188. Type-species: *Myrmus emarginatus* (junior synonym of *Eciton testaceum*), by monotypy.
- [Junior homonym of *Myrmus* Hahn, 1832: 81 (Hemiptera).].
- *Strongylognathus* Mayr, 1853: 389, replacement name for *Myrmus* Schenck.

Myrmus Schenck, 1853

Myrmus [junior homonym, see *Strongylognathus*].

- *Myrmus* Schenck, 1853: 188. Type-species: *Myrmus emarginatus* (junior synonym of *Eciton testaceum*), by monotypy.
- [Junior homonym of *Myrmus* Hahn, 1832: 81 (Hemiptera).].
- *Strongylognathus* Mayr, 1853: 389, replacement name for *Myrmus* Schenck.

Myrmica Latreille, 1804

Myrmica [Myrmicinae: Myrmicini]

- *Myrmica* Latreille, 1804: 179. Type-species: *Formica rubra*, by subsequent designation of Latreille, 1810: 437; see also Yarrow, 1955: 113.

Tomognathus Mayr, 1861

Tomognathus [junior homonym, see *Harpagoxenus*]

- *Tomognathus* Mayr, 1861: 56. Type-species: *Myrmica sublaevis*, by monotypy.
- [Junior homonym of *Tomognathus* Agassiz, 1850: 376 (Pisces).]
- *Harpagoxenus* Forel, 1893: 167, replacement name for *Tomognathus* Mayr.

Harpagoxenus Forel, 1893

Harpagoxenus [Myrmicinae: Formicoxenini]

- *Harpagoxenus* Forel, 1893: 167. Replacement name for *Tomognathus* Mayr, 1861: 56.
- [Junior homonym of *Tomognathus* Agassiz, 1850: 376 (Pisces).]
- *Harpagoxenus* Forel, 1893: 167, replacement name for *Tomognathus* Mayr.

Tomognathus [junior homonym, see *Harpagoxenus*]

- *Tomognathus* Mayr, 1861: 56. Type-species: *Myrmica sublaevis*, by monotypy.
- [Junior homonym of *Tomognathus* Agassiz, 1850: 376 (Pisces).]
- *Harpagoxenus* Forel, 1893: 167, replacement name for *Tomognathus* Mayr.

Anergates Forel, 1874

Anergates [junior synonym of *Tetramorium*]

- *Anergates* Forel, 1874: 67 (see also p. 93). Type-species: *Myrmica atratula*, by monotypy.
- *Anergates* junior synonym of *Tetramorium*: Ward et al., 2015: 76.

Pheidole Westwood, 1839

Pheidole [Myrmicinae: Pheidolini]

- *Pheidole* Westwood, 1839: 219. Type-species: *Atta providens*, by monotypy.

Anergatides Wasmann, 1915

Anergatides [junior synonym of *Pheidole*]

- *Anergatides* Wasmann, 1915: 281. Type-species: *Anergatides kohli* (junior secondary homonym in *Pheidole*, replaced by *Pheidole neokohli*), by monotypy.
- *Anergatides* junior synonym of *Pheidole*: Smith, 1979: 1366; Wilson, 1984: 328.

Bruchomyrma Santschi, 1922

Bruchomyrma [junior synonym of *Pheidole*]

- *Bruchomyrma* Santschi, 1922: 248. Type-species: *Bruchomyrma acutidens*, by monotypy.
- *Bruchomyrma* junior synonym of *Pheidole*: Smith, 1979: 1366; Wilson, 1984: 327.
- [*Bruchomyrma* listed as genus: Dlussky & Fedoseeva, 1988: 80 (anachronism)].
- *Bruchomyrma* junior synonym of *Pheidole*: Bolton, 1994: 106; Wilson, 2003: 6.

Gallardomyrma Bruch, 1932

Gallardomyrma [junior synonym of *Pheidole*]

- *Gallardomyrma* Bruch, 1932: 271. Type-species: *Gallardomyrma argentina*, by original designation.
- *Gallardomyrma* junior synonym of *Pheidole*: Smith, 1979: 1366; Wilson, 1984: 327.
- [*Gallardomyrma* listed as genus: Dlussky & Fedoseeva, 1988: 80 (anachronism)].
- *Gallardomyrma* junior synonym of *Pheidole*: Bolton, 1994: 106; Wilson, 2003: 6.

Eriopheidole Kusnezov, 1952

Eriopheidole [junior synonym of *Pheidole*]

- *Eriopheidole* Kusnezov, 1952: 10. Type-species: *Eriopheidole symbiotica* (junior secondary homonym in *Pheidole*, replaced by *Pheidole kusnezovi*), by monotypy.
- *Eriopheidole* junior synonym of *Pheidole*: Smith, 1979: 1366; Bolton, 1994: 106.

The species (from AntWiki.org.).

Teleutomyrmex schneideri Kutter, 1950

- *schneideri*. *Teleutomyrmex schneideri* Kutter, 1950: 82, figs. 1-23 (q.m.) SWITZERLAND.
- [Junior secondary homonym of *Tetramorium schneideri* Emery, 1898: 145.]
- Combination in *Tetramorium*: Ward et al., 2015: 76.

Teleutomyrmex kutteri Tinaut, 1990

- *kutteri*. *Teleutomyrmex kutteri* Tinaut, 1990: 202, figs. 1-3, photos. 1-2 (q.m.) SPAIN.
- [Junior secondary homonym of *Tetramorium semilaeve* André, 1883 var. *kutteri* Santschi, 1927: 57.]
- Combination in *Tetramorium*: Ward et al., 2015: 76.

Teleutomyrmex seiferti Kiran & Karaman, in Kiran, Karaman, Lapeva-Gjonova, Aksoy, 2017

- *seiferti*. *Teleutomyrmex seiferti* Kiran & Karaman, in Kiran, et al. 2017: 148, figs. 3a, 4a, 5a, 6-8 (q.m.) TURKEY.
- [Note: Kiran, et al. 2017: 146, retain the paraphyletic genus *Teleutomyrmex*.]

Teleutomyrmex buschingeri Lapeva-Gjonova, in Kiran, Karaman, Lapeva-Gjonova, Aksoy, 2017

- *buschingeri*. *Teleutomyrmex buschingeri* Lapeva-Gjonova, in Kiran, et al. 2017: 151, figs. 3b, 4b, 5b (q.) BULGARIA.
- [Note: Kiran, et al. 2017: 146, retain the paraphyletic genus *Teleutomyrmex*.]

Myrmica atratula Schenck, 1852

- *atratulum*. *Myrmica atratula* Schenck, 1852: 91 (q.m.) GERMANY.
- [Also described as new by Schenck, 1853: 186.]
- Wheeler, W.M. 1909: 182 (l.).
- Combination in *Tetramorium*: Mayr, 1855: 429.
- Combination in *Anergates*: Forel, 1874: 68 (see also p. 93).
- Combination in *Tetramorium*: Ward et al., 2015: 76.
- Senior synonym of *friedlandi*: Creighton, 1950: 243.
- See also: Donisthorpe, 1915: 89; Boven, 1977: 81; Wheeler, Wheeler, 1955: 128; Atanassov, Dlussky, 1992: 161.

Anergates friedlandi Creighton, 1934

- *friedlandi*. *Anergates friedlandi* Creighton, 1934: 193 (q.) U.S.A.
- Junior synonym of *atratulus*: Creighton, 1950: 243.

Tetramorium microgyna Santschi, 1918

- *microgyna*. *Tetramorium microgyna* Santschi, 1918: 132 (q., not w.) SOUTH AFRICA.
- See also: Arnold, 1926: 253; Santschi, 1928: 207; Bolton, 1980: 329.

Tetramorium parasiticum Bolton, 1980

- *parasiticum*. *Tetramorium parasiticum* Bolton, 1980: 281, figs. 65, 66 (q.) SOUTH AFRICA.

Anergatides kohli Wasmann, 1915

- *kohli*. *Anergatides kohli* Wasmann, 1915: 283, pls. 7, 8 (q.m.) DEMOCRATIC REPUBLIC OF CONGO.
- [Junior secondary homonym of *Pheidole kohli* Mayr, 1901: 11.]
- Replacement name: *Pheidole neokohli* Wilson, 1984: 328.
- Wheeler, Wheeler, 1955: 130 (l.).

Bruchomyrma acutidens Santschi, 1922

- *acutidens*. *Bruchomyrma acutidens* Santschi, 1922: 249, figs. A-D (q.) ARGENTINA.
- Bruch, 1931: 31 (m.).
- Combination in *Pheidole*: Wilson, 1984: 327.
- See also: Wheeler, 1937: 52; Wilson, 2003: 260.

Gallardomyrma argentina Bruch, 1932

- *argentina*. *Gallardomyrma argentina* Bruch, 1932: 273, figs. 1-8 (q.) ARGENTINA.
- Combination in *Pheidole*: Wilson, 1984: 327.
- See also: Wilson, 2003: 267.

Pheidole parasitica Wilson, 1984

- *parasitica*. *Pheidole parasitica* Wilson, 1984: 321, fig. 3 (q.) INDIA.

Eriopheidole symbiotica Kusnezov, 1952

- *symbiotica*. *Eriopheidole symbiotica* Kusnezov, 1952: 16, figs. 1-9 (q.m.) ARGENTINA.
- [Junior secondary homonym of *Pheidole symbiotica* Wasmann, 1909: 693.]
- Combination in *Pheidole*: Wilson, 1984: 328.
- Replacement name: *Pheidole kusnezovi* Wilson, 2003: 311.

Additional references.

Adlerz, G., 1886, "Myrmecologiska studier. II. Svenska myror och deras lefnadsförhållanden." Bihang till Kongliga Svenska Vetenskaps-Akademiens Handlingar, vol. 11, no. 18, p. 1-329.

Arnold, G., 1926, "A monograph of the Formicidae of South Africa. Appendix." Annals of the South African Museum, vol. 23, p. 191-295.

Buschinger, A., 1999, "Bemerkenswerte ameisenfunde aus Sudtirol (Hymenoptera: Formicidae)." Myrmecologische Nachrichten, vol. 3, p. 1-8.

Buschinger, A., Schlick-Steiner, B. C., Steiner, F. M., Sanetra, M., 2003, "*Anergates atratulus*, eine ungewöhnlich seltene Parasiten-Ameise." Ameisenschutz Aktuell, vol. 17, p. 1-6.

Crawley, W. C., 1912, "*Anergates atratulus*, Schenk, a british ant, and the acceptance of a queen by *Tetramorium caespitum*, L." The Entomologist's Record and Journal of Variation, London, vol. 24, nr. 9, p. 218-219.

Crawley, W. C., Donisthorpe, H., 1913, "The Founding of Colonies by Queen Ants." (*Anergates atratulus*, p. 68-73.) P. 11-77, in: Jordan, K., Eltringham, H. (editors.), 1913, "2nd International Congress of Entomology, Oxford August 1912. Volume 2. Transactions." Oxford. London and Aylesbury, Hazell, Watson & Viney, Ltd., 489 pp. (+ 34 plates!).

Dlussky, G. M., 1981, "Muravi pustyn.", or "[Desert Ants.]" [In Russian.]. Moskva, Nauka, 230 pp.

Emery, C., 1909, "Über den Ursprung der dulotischen, parasitischen und myrmekophilen Ameisen." Biologisches Centralblatt, vol. 29, p. 352-362.

Emery, C., 1913, "Über die Abstammung der europäischen arbeiterrinnenlosen Ameise "*Anergates*"." Biologisches Centralblatt, vol. 33, p. 258-260.

Forel, A., 1893, "Sur la classification de la famille des Formicides, avec remarques synonymiques." Annales de la Société Entomologique de Belgique, vol. 37, p. 161-167.

Gösswald, K., 1938, "Grundsätzliches über parasitische Ameisen unter besonderer Berücksichtigung der abhängigen Koloniegründung von *Lasius umbratus mixtus* Nyl." Zeitschrift für Wissenschaftliche Zoologie, vol. 151, p. 101-148.

Gösswald, K., 1938, "Über den Sozialparasitismus der Ameisen." VII. Internationaler Entomologenkongress, p. 1149—1155.

Gösswald, K., 1951, "Zur Biologie, Ökologie und Morphologie einer neuen Varietät der Kleinen Roten Waldameise: *Formica minor pratensisoides*." Zeitschrift für Angewandte Entomologie, vol. 32, p. 433-457.

Gösswald, K., 1951, "Versuche zum Sozialparasitismus der Ameisen bei der Gattung *Formica* L." Zoologische Jahrbücher. Abteilung für Systematik, Ökologie und Geographie der Tiere, vol. 80, p. 533-582.

Gray, K. W., Rabeling, C., 2023 ("2022"), "Global biogeography of ant social parasites: Exploring patterns and mechanisms of an inverse latitudinal diversity gradient." Journal of Biogeography, vol. ??, no. ??, p. 1-14. (+ 4 supporting files.). (Article first published online: 08 December 2022).

International Commission on Zoological Nomenclature (I.C.Z.N.) [Ride, W. D. L., Cogger, H. G., Dupuis, C., Kraus, O., Minelli, A., Thompson, F. C., Tubbs, P. K. (editors.)], 1999, "International Code of Zoological Nomenclature [= Code International de Nomenclature Zoologique]. Fourth Edition, adopted by the International Union of Biological Sciences." London, The International Trust for Zoological Nomenclature, c/o The Natural History Museum, 1999. Padova, Tipografia La Garangola, xxix + 306 pp.

Janet, C., 1897, "Études sur les fourmis, les guêpes et les abeilles. Note 16. Limites morphologiques des anneaux post-céphaliques et musculature des anneaux post-thoraciques chez la *Myrmica rubra*." Lille, Le Bigot Frères, 36 pp.

Latreille, P. A., 1804, "Tableau méthodique des insectes." Pp. 129-200 in: Société de Naturalistes et d'Agriculteurs, "Nouveau dictionnaire d'histoire naturelle. Tome 24." Paris, Déterville, 84 + 85 + 238 + 18 + 34 pp.

Latreille, P. A., 1810, "Considérations générales sur l'ordre naturel des animaux composant les classes des Crustacés, des Arachnides et des Insectes; avec un tableau méthodique de leurs genres, disposés en familles." Paris, F. Schoell, 444 pp.

Linsenmaier, W., 1972, "Knaurs Grosses Insektenbuch." München, Th. Knaur Nachf., 396 Seiten, 1888 Insektendarstellungen (together with an English edition: Linsenmaier, W., 1972, "Insects of the World." New York, Mc Graw-Hill. I have the French edition: Linsenmaier, W., 1973. "Insectes du Monde." Collection Eugène Clarence Braun-Munk. Suisse, Stock, 380 pp.).

Lopez, F., 1988, "Aproximación al estudio del género *Tetramorium* Mayr, 1855 en la Península Ibérica (Hymenoptera, Formicidae)." Mem. Licenciatura. Universidad Complutense, Madrid, 295 pp.

Lopez-Osorio, F., 2020, "Emery's Rule." P. 365-368 in: Starr, C. K. (editor.), 2021, "Encyclopedia of Social Insects." Springer International Publishing, Cham., xxvi + 1049 pp.

Santschi, F., 1928, "Descriptions de nouvelles fourmis éthiopiennes (suite)." Revue de Zoologie et de Botanique Africaines, vol. 16, p. 191-213.

Schär, S., Talavera, G., Espadaler, X., Rana, J. D., Andersen, A. A., Cover, S. P., Vila, R., 2018, "Do Holarctic ant species exist? Trans-Beringian dispersal and homoplasy in the Formicidae." Journal of Biogeography, vol. 45, no. 8, p. 1917-1928. (+ 6 supporting files.).

Smith, D. R., 1979, "Superfamily Formicoidea." Pp. 1323-1467 in: Krombein, K. V., Hurd, P. D., Smith, D. R., Burks, B. D. (editors.), 1979, "Catalog of Hymenoptera in America north of Mexico. Volume 2. Apocrita (Aculeata)." Washington, D.C., Smithsonian Institution Press, pp. i-xvi, 1199-2209.

von Hagens, J., 1867, "Ueber Ameisen mit gemischten Colonien." Berliner Entomologische Zeitschrift, vol. 11, nr. 1-2, p. 101-108.

Wagner, H. C., Karaman, C., Aksoy, V., Kiran, K., 2018, "A mixed colony of *Tetramorium immigrans* Santschi, 1927 and the putative social parasite *Tetramorium aspina* sp.n. (Hymenoptera: Formicidae)." Myrmecological News, vol. 28, p. 25-33.

Wasmann, E., 1891, "Die zusammengesetzten Nester und gemischten Kolonien der Ameisen. Ein Beitrag zur Biologie, Psychologie und Entwicklungsgeschichte der Ameisengesellschaften." Münster in Westfalen, Aschendorffschen Buchdruckerei, vii + 262 pp. (+ 2 plates!).

Wheeler, W. M., 1908, "Comparative ethology of the European and North American ants." *Journal für Psychologie und Neurologie*, vol. 13, p. 404-435, pl. III-IV.

Wheeler, W. M., 1910, "Ants: Their Structure, Development and Behavior." *Columbia Biological Series*, no. 9. New York, Columbia University Press, xxv + 663 pp.

Wheeler, W. M., 1937, "Mosaics and other anomalies among ants." Cambridge, Mass., Harvard University Press, 95 pp.

Yarrow, I. H. H., 1955, "The type species of the ant genus *Myrmica* Latreille." *Proceedings of the Royal Entomological Society of London. Series B*, vol. 24, p. 113-115.

32 references.